

Certificate of Analysis

R&D
Colorado

THCV DISTILLATE
Sample Matrix:
HEMP
Extract
External



Client Information:

HAU PROCESSING
2200 E 76TH AVE
UNIT 300
DENVER, CO 80229-6631

Manufacturing Facility:

HAU PROCESSING
2200 E 76TH AVE
UNIT 300
DENVER, CO 80229-6631

Order Details:

Order # - HAU260817-010001
Order Date: 2026-08-17
Sample # AAHY193

Batch Data:

Batch # 1200030
Batch Date: 2026-08-17
Extracted From: Hemp

Receipt Date: 2026-08-18
Lab Batch Date: 2026-08-18
Completion Date: 2026-08-24

Servings Per Package:
1



Product Image




**Potency
Passed**



Potency Summary

Total CBD	1.49%	Total CBG	0.266%
per Serving	14.9 mg	per Serving	2.66 mg
per Package	14.9 mg	per Package	2.66 mg
Total CBN	<LOQ	Total Cannabinoids	93.7%
per Serving	0.00 mg	per Serving	937 mg
per Package	0.00 mg	per Package	937 mg
Total THCV	87.2%		
per Serving	872 mg		
per Package	872 mg		


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per regulatory state rule CO. Failed - Analyte/microbe is at the level that equal or above the action limit per state rule. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

Certificate of Analysis
R&D
Colorado

THCV DISTILLATE
Sample Matrix:
HEMP
Extract
External



Client Information:
HAU PROCESSING
2200 E 76TH AVE
UNIT 300
DENVER, CO 80229-6631

Manufacturing Facility:
HAU PROCESSING
2200 E 76TH AVE
UNIT 300
DENVER, CO 80229-6631

Order Details:
Order # - HAU260817-010001
Order Date: 2026-08-17
Sample # AAHY193

Batch Data:
Batch # 1200030
Batch Date: 2026-08-17
Extracted From: Hemp

Receipt Date: 2026-08-18
Lab Batch Date: 2026-08-18
Completion Date: 2026-08-24

Servings Per Package:
1



Potency 25 (LCUV)
Sample Weight: 100.260 mg

Passed

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/ml)	(%)	Per Serving (mg)	Per Package (mg)
THCV	10.000	0.00000700	0.015	872	87.2	0.00	0.00
Delta-8 THCV	10.000	0.0000400	0.015	36.0	3.60	0.00	0.00
CBD	10.000	0.0000540	0.015	14.9	1.49	0.00	0.00
CBDV	10.000	0.0000650	0.015	6.86	0.686	0.00	0.00
CBGA	10.000	0.0000800	0.015	3.03	0.303	0.00	0.00
CBDVA	10.000	0.0000140	0.015	2.39	0.239	0.00	0.00
Delta9-THCP	10.000	0.0000117	0.012	0.650	0.0650	0.00	0.00
Delta-9 THC	10.000	0.0000130	0.015	0.320	0.0320	0.00	0.00
CBC	10.000	0.0000180	0.015	ND	ND	0.00	0.00
CBCA	10.000	0.000107	0.015	ND	ND	0.00	0.00
CBDA	10.000	0.0000100	0.015	ND	ND	0.00	0.00
CBG	10.000	0.000248	0.015	ND	ND	0.00	0.00
CBL	10.000	0.0000350	0.015	ND	ND	0.00	0.00
CBN	10.000	0.0000140	0.015	ND	ND	0.00	0.00
CBNA	10.000	0.0000950	0.015	ND	ND	0.00	0.00
CBT	10.000	0.000200	0.015	ND	ND	0.00	0.00
Delta-8 THC	10.000	0.0000260	0.015	ND	ND	0.00	0.00
Delta-8 THC-O Acetate	10.000	0.0000270	0.1	ND	ND	0.00	0.00
Delta-9 THC-O Acetate	10.000	0.0000770	0.1	ND	<ND	0.00	0.00
Delta8-THCP	10.000	0.000375	0.015	ND	ND	0.00	0.00
Exo-THC	10.000	0.000230	0.015	ND	ND	0.00	0.00
THCA-A	10.000	0.0000320	0.015	ND	ND	0.00	0.00
THCB	10.000	0.000180	0.0163	ND	ND	0.00	0.00
THCH	10.000	0.000350	0.0163	ND	ND	0.00	0.00
THCVA	10.000	0.0000470	0.015	ND	ND	0.00	0.00
Total THC	10.000	0.00		0.320	0.0320	0.00	0.00

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

Certificate of Analysis

R&D
Colorado

THCV DISTILLATE
Sample Matrix:
HEMP
Extract
External



Client Information:
HAU PROCESSING
2200 E 76TH AVE
UNIT 300
DENVER, CO 80229-6631

Manufacturing Facility:
HAU PROCESSING
2200 E 76TH AVE
UNIT 300
DENVER, CO 80229-6631

Order Details:
Order # - HAU260817-010001
Order Date: 2026-08-17
Sample # AAHY193

Batch Data:
Batch # 1200030
Batch Date: 2026-08-17
Extracted From: Hemp

Receipt Date: 2026-08-18
Lab Batch Date: 2026-08-18
Completion Date: 2026-08-24

Servings Per Package:
1



Potency 25 (LCUV) (Continued)

Sample Weight: 100.260 mg

Passed

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/ml)	(%)	Per Serving (mg)	Per Package (mg)
Total CBD	10.000	0.00		14.9	1.49	0.00	0.00

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

Certificate of Analysis

R&D
Colorado

THCV DISTILLATE
Sample Matrix:
HEMP
Extract
External



Client Information:

HAU PROCESSING
2200 E 76TH AVE
UNIT 300
DENVER, CO 80229-6631

Manufacturing Facility:

HAU PROCESSING
2200 E 76TH AVE
UNIT 300
DENVER, CO 80229-6631

Order Details:

Order # - HAU260817-010001
Order Date: 2026-08-17
Sample # AAHY193

Batch Data:

Batch # 1200030
Batch Date: 2026-08-17
Extracted From: Hemp

Receipt Date: 2026-08-18

Lab Batch Date: 2026-08-18

Completion Date: 2026-08-24

Servings Per Package:

1



Potency 25 (LCUV) at Dry Weight Sample Weight: 100.260 mg

Dilution Factor: 100.000

Passed

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/ml)	(%)	Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/ml)	(%)
THCV	10.000	0.000	0.015	872	87.2	CBNA	10.000	0.000	0.015	ND	ND
Delta-8 THC	10.000	0.000	0.015	36.0	3.60	CBT	10.000	0.000	0.015	ND	ND
CBD	10.000	0.000	0.015	14.9	1.49	Delta-8 THC	10.000	0.000	0.015	ND	ND
CBDV	10.000	0.000	0.015	6.86	0.686	Delta-8 THC-O Acetate	10.000	0.000	0.1	ND	ND
CBGA	10.000	0.000	0.015	3.03	0.303	Delta-9 THC-O Acetate	10.000	0.000	0.1	ND	ND
CBDVA	10.000	0.000	0.015	2.39	0.239	Delta8-THCP	10.000	0.000	0.015	ND	ND
Delta9-THCP	10.000	0.000	0.012	0.650	0.0650	Exo-THC	10.000	0.000	0.015	ND	ND
Delta-9 THC	10.000	0.000	0.015	0.320	0.0320	THCA-A	10.000	0.000	0.015	ND	ND
CBC	10.000	0.000	0.015	ND	ND	THCB	10.000	0.000	0.0163	ND	ND
CBCA	10.000	0.000	0.015	ND	ND	THCH	10.000	0.000	0.0163	ND	ND
CBDA	10.000	0.000	0.015	ND	ND	THCVA	10.000	0.000	0.015	ND	ND
CBG	10.000	0.000	0.015	ND	ND	Total CBD	10.000			14.9	1.49
CBL	10.000	0.000	0.015	ND	ND	Total THC	10.000			0.320	0.0320
CBN	10.000	0.000	0.015	ND	ND						

Aixia Sun

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

